


IN THE CLAIMS

What is claimed is:

1. (original) A compound of formula I:



or a pharmaceutically acceptable salt thereof, wherein:

X is N or C, provided that when X is N, R<sub>5</sub> is absent at that position;

R<sub>1</sub> is (C<sub>1</sub>-C<sub>6</sub>)alkyl,

halo(C<sub>1</sub>-C<sub>6</sub>)alkyl,

(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl,

halo(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl



aryl, and

heteroaryl;

CH<sub>2</sub>(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl;

R<sub>2</sub> is H,

NH<sub>2</sub>,



NH(C<sub>1</sub>-C<sub>6</sub>)alkyl,

NH(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl,


NH-aryl,

NH-heteroaryl,


NHSO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub>)alkyl,

NHSO<sub>2</sub>-aryl,


NHSO<sub>2</sub>-heteroaryl,



or is absent, and R<sub>2a</sub> and R<sub>2a'</sub> are each independently H or (C<sub>1</sub>-C<sub>6</sub>)alkyl, or taken together with the carbons to which they are attached form a 3, 4, 5, or 6-membered substituted or unsubstituted ring, and R<sub>2b</sub> is (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, or heteroaryl,



wherein R<sub>2a</sub> and R<sub>2a'</sub> are as defined above,



, wherein “---” indicates the point of attachment, p is 0 or 1, and R<sub>2c</sub> is H,

(C<sub>1</sub>-C<sub>6</sub>)alkyl,


O(C<sub>1</sub>-C<sub>6</sub>)alkyl,

(C<sub>3</sub>-C<sub>7</sub>)cycloalkyl,

aryl,

heterocyclo,

heteroaryl, or




Q, are as defined above, and h and n are each

independently integers from 0 to 10, and Y is OH,

OPO(OH)<sub>2</sub>, OPO(O(C<sub>1</sub>-C<sub>6</sub>))<sub>2</sub>, or NR<sub>2d</sub>R<sub>2e</sub>, wherein R<sub>2d</sub> and

R<sub>2e</sub> are each independently H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, or (C<sub>3</sub>-

C<sub>7</sub>)cycloalkyl,



, wherein q is 0 or 1,  $R_{2f}$  and  $R_{2f'}$  are each independently H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, or heteroaryl, or taken together with the carbon to which they are attached form a 3, 4, 5, or 6 membered substituted or unsubstituted ring, and  $R_{2g}$  is

(C<sub>1</sub>-C<sub>6</sub>)alkyl,

(C<sub>3</sub>-C<sub>7</sub>)cycloalkyl,

aryl, or

heterocyclo, or

heteroaryl;

$R_3$ ,  $R_4$ , and  $R_5$  are each independently H,

halo,

NH<sub>2</sub>3

(C<sub>1</sub>-C<sub>6</sub>)alkyl,


halo(C<sub>1</sub>-C<sub>6</sub>)alkyl,

(C<sub>1</sub>-C<sub>6</sub>)alkoxy, or

halo(C<sub>1</sub>-C<sub>6</sub>)alkoxy

nitrile; or



or unsubstituted 5- or 6-membered substituted or unsubstituted ring containing 0, 1, or 2 heteroatoms selected from O, S, SO, SO<sub>2</sub>, or NR<sub>x</sub>, wherein R<sub>x</sub> is H or (C<sub>1</sub>-C<sub>6</sub>)alkyl; and



$R_a$  and  $R_b$  are each independently H,  $(C_1-C_6)$ alkyl,  $(C_1-C_6)$ alkoxy, halo $(C_1-C_6)$ alkyl, halo, or  $R_a$  and  $R_b$  taken together with the carbon to which they are attached form  $C=O$ ,  $C=NO(C_1-C_6)$ alkyl, or a 3,4,5 or 6-membered substituted or unsubstituted ring;

$R'$ ,  $R''$ ,  $R'''$ , and  $R''''$  are each independently H,  $(C_1-C_6)$ alkyl,  $-O(C_1-C_6)$ alkyl, halo $(C_1-C_6)$ alkyl, aryl, or heteroaryl;


and B is




provided that when B is  $R_f$ ,  $R_e$ ,  $R_g$ ,  $R_h$ ,  $R_c$  in  $R_a$  and  $R_b$  in  $R'$ ,  $R''$ ,  $R'''$ ,  $R''''$ ,  $R'$  is not  $-O(C_1-C_6)$ alkyl, and wherein "~~~" indicates the point of attachment;

$R_c$  and  $R_d$  are each independently H,

$(C_1-C_6)$ alkylnitrile;





(C<sub>1</sub>-C<sub>6</sub>)alkyl,

(C<sub>3</sub>-C<sub>6</sub>)cycloalkyl,

heteroaryl,


SO<sub>2</sub>-(C<sub>1</sub>-C<sub>6</sub>)alkyl,

SO<sub>2</sub>-aryl,

SO<sub>2</sub>-heteroaryl,

$\text{---}(\text{CR}_{2a}\text{R}_{2a'})_g\text{---}\text{O}\text{---}\overset{\text{O}}{\parallel}\text{QR}_{2b}$ , wherein g is an integer from 1 to 10, Q is as defined above, and R<sub>2a</sub> and R<sub>2a'</sub> are each independently H or (C<sub>1</sub>-C<sub>6</sub>)alkyl, or taken together with the carbons to which they are attached form a 3, 4, 5, or 6-membered substituted or unsubstituted ring, and R<sub>2b</sub> is (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, or heteroaryl,

(C<sub>R</sub><sub>2a</sub>R<sub>2a'</sub>)<sub>g</sub>-O-P(=O)(OH)<sub>2</sub> or (C<sub>R</sub><sub>2a</sub>R<sub>2a'</sub>)<sub>g</sub>-O-P(=O)(O(C<sub>1</sub>-C<sub>6</sub>)alkyl)<sub>2</sub>, wherein R<sub>2a</sub> and R<sub>2a'</sub> are as defined above,



, wherein “~~~” indicates the point of attachment, p is 0 or 1, and R<sub>2c</sub> is H,

(C<sub>1</sub>-C<sub>6</sub>)alkyl,

O(C<sub>1</sub>-C<sub>6</sub>)alkyl,

(C<sub>3</sub>-C<sub>7</sub>)cycloalkyl,


aryl,

heterocyclo,

heteroaryl, or

$\text{---}(\text{CHR}_{2a})_h\text{---}\text{O}\text{---}\overset{\text{O}}{\parallel}\text{QR}_{2b}$  or  $\text{---}(\text{CHR}_{2a})_j\text{---}\text{Y}$ , wherein R<sub>2a</sub>, R<sub>2b</sub>, and Q are as defined above, and h and j are each independently integers from 0 to 10, and Y is OH, OPO(OH)<sub>2</sub>,

OPO(O(C<sub>1</sub>-C<sub>6</sub>))<sub>2</sub>, or NR<sub>2d</sub>R<sub>2e</sub>, wherein R<sub>2d</sub> and R<sub>2e</sub> are each independently H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, or (C<sub>3</sub>-C<sub>7</sub>)cycloalkyl,



, wherein q is 0 or 1, R<sub>2f</sub> and R<sub>2f</sub> are each independently H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, or heteroaryl, or taken together with the carbon to which they are attached form a 3, 4, 5, or 6 membered substituted or unsubstituted ring, and R<sub>2g</sub> is

(C<sub>1</sub>-C<sub>6</sub>)alkyl,

(C<sub>3</sub>-C<sub>7</sub>)cycloalkyl,

aryl, or

heterocyclo, or

heteroaryl;

R<sub>e</sub> and R<sub>f</sub> are each independently H, C<sub>1</sub>-C<sub>6</sub> alkyl, haloalkyl, halo, or R<sub>e</sub> and R<sub>f</sub> taken together with the carbon to which they are attached form a 3,4,5 or 6-membered substituted or unsubstituted ring;

R<sub>g</sub> and R<sub>h</sub> are each independently H, C<sub>1</sub>-C<sub>6</sub> alkyl, haloalkyl, or taken together with the carbon to which they are attached to form a 3,4,5 or 6-membered substituted or unsubstituted ring.; and

R<sub>j</sub> and R<sub>k</sub> are each independently H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, haloalkyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl-NR<sub>c</sub>R<sub>d</sub>, (C<sub>1</sub>-C<sub>6</sub>)alkyl-OR<sub>c</sub>, aryl, heteroaryl, heterocycle, (C<sub>1</sub>-C<sub>6</sub>)alkyl-C(=O)-Z-R<sub>d</sub>, wherein

Z is O or NR<sub>c</sub>, or R<sub>j</sub> and R<sub>k</sub> taken together with the carbon to which they are attached to form a 3,4,5 or 6-membered substituted or unsubstituted ring.

2. (original) The compound of claim 1, wherein

X is C or N;

R<sub>1</sub> is (C<sub>1</sub>-C<sub>6</sub>)cycloalkyl and halo(C<sub>1</sub>-C<sub>6</sub>)cycloalkyl, aryl, or heteroaryl;

R<sub>3</sub> is H or NH<sub>2</sub>;

R<sub>4</sub> is H or halo;

R<sub>5</sub> is halo, methyl, trifluoromethyl, methoxy, fluoromethoxy, difluoromethoxy, or trifluoromethoxy when X is C.

3. (original) The compound of claim 2, wherein

X is C or N;


R<sub>1</sub> is cyclopropyl or fluorocyclopropyl;


R<sub>3</sub> is H or NH<sub>2</sub>;


R<sub>4</sub> is H or F;

R<sub>5</sub> is halo, methyl, or methoxy.

4. (original) The compound of claim 1, wherein R<sub>1</sub>, R<sub>3</sub>, and R<sub>5</sub> are as provided in the following structures, and R<sub>2</sub> is NH<sub>2</sub> or H, and R<sub>4</sub> is H or F:







5. (original) The compound of claim 1, wherein  
z is 0, 1, 2, when q is 2 or 3 or z is 1 or 2 when q is 0, 1, 2, or 3;  
R<sub>a</sub> and R<sub>b</sub> are each independently H, methyl, ethyl, fluoro, fluoromethyl, trifluoromethyl, fluorethyl, methoxy, MeO-N, or taken together with the carbons to which they are attached form a cyclopropyl ring;  
R', R", R"', and R"" are each independently H, fluoro, methyl, ethyl, fluoromethyl, fluoroethyl, phenyl, benzyl, or methoxy;  
R<sub>c</sub> and R<sub>d</sub> each independently are H, methyl, or ethyl;  
R<sub>e</sub> and R<sub>f</sub> each independently are H, methyl, or ethyl;

$R_g$  and  $R_h$  each independently are H, methyl, ethyl, fluoromethyl, difluoromethyl,



trifluoroethyl, cyclopropyl, phenyl, isoxazolyl, carboxymethyl, carboxyethyl, or  , or taken together with the carbons to which they are attached form  $\triangle$  ; and


$R_j$  and  $R_k$  each independently are H, methyl, ethyl, fluoromethyl, difluoromethyl,





trifluoroethyl, cyclopropyl, phenyl, isoxazolyl, carboxymethyl, carboxyethyl, or  , or taken together with the carbons to which they are attached form  $\triangle$  .




6. (original) The compound of claim 1, wherein A is  , and z is 0, 1, or 2, selected from the group consisting of:




wherein "~~~~" indicates the point of attachment, or A is  or  , wherein z is 0, 1, or 2 and q is 0, 1, 2, or 3, selected from the group consisting of:




wherein “~~~~” indicates the point of attachment.




7. (currently amended) The compound of claim 6 or 7, wherein B is  $R_e R_f R_c$ , or







wherein “~” indicates the point of attachment.




8. (original) The compound of claim 6, wherein is selected from the group consisting of:







wherein R is  $\text{CH}_2\text{CH}_2\text{CN}$  and wherein “~” indicates the point of attachment.




9. (original) The compound of claim 6, wherein  $\text{Ra}$  and  $\text{Rb}$  are selected from the group consisting of:




wherein R is  $\text{CH}_2\text{CN}$ , and wherein “ $\sim\sim\sim$ ” indicates the point of attachment.




10. (original) The compound of claim 6, wherein  $\text{R}_b$  or  $\text{R}_b$  is selected from the group consisting of:



wherein R is  $\text{CH}_2\text{CH}_2\text{CN}$  and wherein “~” indicates the point of attachment.






11. (original) The compound of claim 6, wherein  $\text{qR}_b$  or  $\text{qR}_b$  is selected from the group consisting of:




wherein  $R_c$  is


H or (C<sub>1</sub>-C<sub>6</sub>)alkyl, R is CH<sub>2</sub>CN, and wherein “~~~” indicates the point of attachment.

12. (original) The compound of claim 1, which is a compound of formulas II, III, IV, V, or VI:





V



VI

13. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{{1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;
- 3-{{1-(1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;

3-{[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;

3-{[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;

3-{[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-amino}-propionitrile;

3-{[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;

3-{[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;

3-{[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;

3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile;

3-({{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

N-[2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-{{2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{{2-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{{2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{{2-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

3-{{1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile; and

3-{{1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile.

14. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

3-{{1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethylamino}-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino}-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-amino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-amino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-amino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-methyl-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-methyl-amino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-methyl-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl}-methyl-amino}-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile};

3-{{1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile};

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile};

3-{{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropylamino}-propionitrile};

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino}-propionitrile};

3-({1-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

N-[2-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-[2-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-(2-cyano-ethylamino)-ethyl]-acetamide;

N-{2-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{2-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{2-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

N-{2-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-methyl-amino]-ethyl}-acetamide;

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-butyronitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-butyronitrile;

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-butyronitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-amino}-butyronitrile};

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-butyronitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-butyronitrile;

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-butyronitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-methyl-amino}-butyronitrile;

3-[5-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-5-aza-spiro[2.4]hept-1-ylamino]-propionitrile;

3-[5-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-5-aza-spiro[2.4]hept-1-ylamino]-propionitrile; and

3-[5-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-5-aza-spiro[2.4]hept-1-ylamino]-propionitrile.

15. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

3-[5-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-5-aza-spiro[2.4]hept-1-ylamino]-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino}-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino}-propionitrile;

3-({{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propyl}-methyl-amino)-propionitrile;

3-({{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propyl}-methyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propyl}-methyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propyl}-methyl-amino)-propionitrile;

3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-methyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-{[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

N-{2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-({{1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile; and

3-({{1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-ethyl-amino)-propionitrile.

16. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

3-({{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;

3-({{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-methyl-amino)-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-{{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-pyrrolidin-3-ylmethyl]-ethyl-amino}-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

3-({1-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-cyclopropyl}-ethyl-amino)-propionitrile;

N-{2-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2-[(2-cyano-ethyl)-ethyl-amino]-ethyl}-acetamide;

N-{2-[(2-Cyano-ethyl)-ethyl-amino]-2-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-acetamide;

N-{2-[(2-Cyano-ethyl)-ethyl-amino]-2-[1-(1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-ethyl}-acetamide;

3-{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-propylamino}-propionitrile;

3-{[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-azetidin-3-ylmethyl]-amino}-propionitrile;

3-{[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-methyl-azetidin-3-ylmethyl]-amino}-propionitrile;

3-{1-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;

3-{1-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-azetidin-3-yl]-cyclopropylamino}-propionitrile;

3-{[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-3-ethyl-azetidin-3-ylmethyl]-amino}-propionitrile;

3-{{1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quimazolin-7-yl)-3-ethyl-azetidin-3-ylmethyl]-amino}-propionitrile;

3-Amino-3-[1-(5-amino-8-fluoro-3-methyl-4,6-dioxo-2,3,5,6-tetrahydro-4H-1-oxa-3a,5-diaza-phenalen-9-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(8-fluoro-3-methyl-4,6-dioxo-2,3,5,6-tetrahydro-4H-1-oxa-3a,5-diaza-phenalen-9-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3,5-diamino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(5-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3,5-diamino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(5-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile; and

3-Amino-3-[1-(3-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile.

17. (original) The compound, or a pharmaceutically acceptable salt thereof, of claim 1 selected from the group consisting of:

3-Amino-3-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(3,5-diamino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(5-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(3,5-diamino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(5-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-propionitrile;

3-Amino-3-[1-(3-amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-Amino-3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(5-Amino-8-fluoro-3-methyl-4,6-dioxo-2,3,5,6-tetrahydro-4H-1-oxa-3a,5-diaza-phenalen-9-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(8-Fluoro-3-methyl-4,6-dioxo-2,3,5,6-tetrahydro-4H-1-oxa-3a,5-diaza-phenalen-9-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(1-cyclopropyl-6-fluoro-2,4-dioxo-1,2,3,4-tetrahydro-pyrido[2,3-d]pyrimidin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(3,5-Diamino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(5-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(3,5-Diamino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(5-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(3-Amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(3,5-Diamino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(5-amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(3,5-Diamino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[1-(5-amino-1-cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-pyrrolidin-3-yl]-2,2-dimethyl-3-methylamino-propionitrile;

3-[2-(3-Amino-1-cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile;

3-[2-(3-Amino-1-cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile;

3-[2-(1-Cyclopropyl-6-fluoro-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile;

3-[2-(1-Cyclopropyl-6-fluoro-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile;

3-[2-(1-Cyclopropyl-8-methoxy-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile; and

3-[2-(1-Cyclopropyl-8-methyl-2,4-dioxo-1,2,3,4-tetrahydro-quinazolin-7-yl)-octahydro-cyclopenta[c]pyrrol-4-ylamino]-propionitrile.

18. (original) A pharmaceutical formulation comprising a compound of formula I, II, III, IV, V, or VI admixed with a pharmaceutically acceptable diluent, carrier, or excipient.

19. (original) A method of treating a bacterial infection in a mammal, comprising administering to a mammal in need thereof an effective amount of a compound of formula I, II, III, IV, V, or VI.